

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--------------------------------|---|------------------|---------|------------------|
| L1 | 3 | "2407372" | USPAT | OR | OFF | 2005/08/09 11:34 |
| L2 | 960 | inter adj locking | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:35 |
| L3 | 155610 | inter adj locking interlocking | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:35 |
| L4 | 487580 | actuator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:35 |
| L5 | 9259 | 3 and 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:36 |
| L6 | 33173 | outer adj housing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:10 |
| L7 | 194 | 5 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:36 |
| L8 | 605091 | tab rib | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 11:36 |
| L9 | 69 | 7 and 8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:09 |
| L10 | 100715 | actuator.ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:09 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| L11 | 781 | 3 and 10 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:09 |
| L12 | 4 | outer adj housing same inner adj actuator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:11 |
| L13 | 12 | outer adj housing and inner adj actuator | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:12 |
| L14 | 0 | 11 and 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:10 |
| L15 | 22948 | outer adj housing and inner | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:12 |
| L16 | 6 | 11 and 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:26 |
| L17 | 164 | 200/43.04.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:26 |
| L18 | 9 | 3 and 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 12:53 |
| L19 | 531 | 200/11r.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 13:16 |
| L20 | 262 | 200/11tc.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/09 13:19 |
| L21 | 3 | "2732815".pn. | EPO; DERWENT | OR | ON | 2005/08/09 13:23 |

| | | | | | | |
|-----|--------|--|-----------------|----|-----|------------------|
| L22 | 4 | "757287".pn. | EPO; DERWENT | OR | ON | 2005/08/09 13:24 |
| L23 | 0 | gb757287 | EPO; DERWENT | OR | ON | 2005/08/09 13:24 |
| L24 | 0 | ("gb757287").PN. | USPAT | OR | OFF | 2005/08/09 13:25 |
| L25 | 1 | "10312842".pn. | JPO | OR | OFF | 2005/08/09 13:27 |
| L26 | 3 | "2407372" | USPAT | OR | OFF | 2005/08/09 14:18 |
| L27 | 251 | 200/336.ccls. | USPAT | OR | OFF | 2005/08/09 14:22 |
| L28 | 134 | 200/19.18.ccls. | USPAT | OR | OFF | 2005/08/09 14:23 |
| S1 | 1 | ("5296803").PN. | USPAT; USOCR | OR | OFF | 2004/08/19 14:22 |
| S2 | 7 | ((("3,334,276") or ("4,959,607") or ("5,001,420") or ("5,173,657") or ("5,270,639") or ("5,742,512") or ("5,966,010"))).PN. | USPAT; USOCR | OR | OFF | 2004/08/19 14:24 |
| S3 | 204 | actuator with housing and lock\$4 near tab | USPAT | OR | OFF | 2004/08/19 14:25 |
| S4 | 551610 | rib\$4 groove | USPAT | OR | OFF | 2004/08/19 14:25 |
| S5 | 136 | (actuator with housing and lock\$4 near tab) and (rib\$4 groove) | USPAT | OR | OFF | 2004/08/19 14:28 |
| S6 | 79520 | actuator.ti,ab,clm. | USPAT | OR | OFF | 2004/08/19 14:29 |
| S7 | 21559 | (rib\$4 groove) and actuator.ti,ab, clm. | USPAT | OR | OFF | 2004/08/19 14:29 |
| S8 | 89 | (actuator with housing and lock\$4 near tab) and ((rib\$4 groove) and actuator.ti,ab,clm.) | USPAT | OR | OFF | 2004/08/19 14:50 |
| S9 | 155 | inner adj actuator | USPAT | OR | OFF | 2004/08/19 14:50 |
| S10 | 10275 | actuator.ti. | USPAT | OR | OFF | 2004/08/19 14:51 |
| S11 | 17 | (inner adj actuator) and actuator.ti. | USPAT | OR | OFF | 2004/08/19 14:51 |
| S12 | 5 | "5,894,964" | USPAT | OR | OFF | 2004/08/19 15:52 |
| S13 | 239 | 200/336.ccls. | USPAT | OR | OFF | 2004/08/19 16:01 |
| S14 | 381 | shaft same knob same interlock\$4 | USPAT | OR | OFF | 2004/08/19 16:01 |
| S15 | 2 | 200/336.ccls. and (shaft same knob same interlock\$4) | USPAT | OR | OFF | 2004/08/19 15:54 |
| S16 | 7751 | 200/11r-11tw,17r-18,564-572, 329-339.ccls. | USPAT | OR | OFF | 2004/08/19 16:00 |
| S17 | 9 | (shaft same knob same interlock\$4) and 200/11r-11tw,17r-18,564-572, 329-339.ccls. | USPAT | OR | OFF | 2004/08/19 15:57 |
| S18 | 5 | "3780238".URPN. | USPAT | OR | OFF | 2004/08/19 15:58 |
| S19 | 5 | ("2870400" "3488842" "3259804" "3447040" "3340439").PN. | USPAT | OR | OFF | 2004/08/19 15:59 |

| | | | | | | |
|-----|--------|--|-------|----|-----|------------------|
| S20 | 0 | (rib\$4 groove) and (inner adj actuator) and 200/11r-11tw,17r-18,564-572,329-339.ccls. | USPAT | OR | OFF | 2004/08/19 16:00 |
| S21 | 3923 | shaft and knob and interlock\$4 | USPAT | OR | OFF | 2004/08/19 16:01 |
| S22 | 38 | (shaft and knob and interlock\$4) and 200/11r-11tw,17r-18,564-572,329-339.ccls. | USPAT | OR | OFF | 2004/08/19 16:11 |
| S23 | 2 | ("2943804" "3061191").PN. | USPAT | OR | OFF | 2004/08/19 16:10 |
| S24 | 20041 | outer adj housing | USPAT | OR | OFF | 2004/08/19 16:11 |
| S25 | 36 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and (outer adj housing) | USPAT | OR | OFF | 2004/08/19 16:13 |
| S26 | 591901 | housing | USPAT | OR | OFF | 2004/08/19 16:13 |
| S27 | 29 | (shaft and knob and interlock\$4) and housing and 200/11r-11tw,17r-18,564-572,329-339.ccls. | USPAT | OR | OFF | 2004/08/19 16:18 |
| S28 | 8 | "3584172" | USPAT | OR | OFF | 2004/08/19 16:20 |
| S29 | 148 | chamfer same lock\$4 same housing | USPAT | OR | OFF | 2004/08/19 16:22 |
| S30 | 0 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and (chamfer same lock\$4 same housing) | USPAT | OR | OFF | 2004/08/19 16:22 |
| S31 | 1191 | chamfer same lock\$4 | USPAT | OR | OFF | 2004/08/19 16:22 |
| S32 | 2 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and (chamfer same lock\$4) | USPAT | OR | OFF | 2004/08/19 16:23 |
| S33 | 7751 | 200/11r-11tw,17r-18,564-572,329-339.ccls. | USPAT | OR | OFF | 2004/08/20 14:24 |
| S34 | 415 | (shaft inner rotat\$4) with rib with gap | USPAT | OR | OFF | 2004/08/20 15:49 |
| S35 | 0 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and ((shaft inner rotat\$4) with rib with gap) | USPAT | OR | OFF | 2004/08/20 14:25 |
| S36 | 2528 | (shaft inner rotat\$4) with groove with gap | USPAT | OR | OFF | 2004/08/20 14:44 |
| S37 | 2 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and ((shaft inner rotat\$4) with groove with gap) | USPAT | OR | OFF | 2004/08/20 14:42 |
| S38 | 7762 | (shaft inner rotat\$4 flange) with (groove rib sector slot) with gap | USPAT | OR | ON | 2004/08/20 16:07 |
| S39 | 12 | 200/11r-11tw,17r-18,564-572,329-339.ccls. and ((shaft inner rotat\$4 flange) with (groove rib sector slot) with gap) | USPAT | OR | ON | 2004/08/20 15:38 |
| S40 | 1 | flange with tactile adj switch\$4 | USPAT | OR | ON | 2004/08/20 15:39 |
| S41 | 36 | flange and tactile adj switch\$4 | USPAT | OR | ON | 2004/08/20 15:39 |

| | | | | | | |
|-----|--------|---|-------|----|-----|------------------|
| S42 | 5 | ("4652947" "5710400" "5794766" "6080945" "6100480").PN. | USPAT | OR | OFF | 2004/08/20 15:46 |
| S43 | 7 | ("3728511" "4716263" "5086200" "5921381" "5954192" "5990426" "6288351").PN. | USPAT | OR | OFF | 2004/08/20 15:48 |
| S44 | 266675 | (shaft inner rotat\$4 knob flange) near5 (rib groov\$3 edge) | USPAT | OR | OFF | 2004/08/20 15:53 |
| S45 | 550 | 200/11r-11tw,17r-18,564-572, 329-339.ccls. and ((shaft inner rotat\$4 knob flange) near5 (rib groov\$3 edge)) | USPAT | OR | OFF | 2004/08/20 15:59 |
| S46 | 18 | ("4025739" "4518832" "4804933" "5023469" "5436415" "5576604" "5581133" "5638948" "5748432" "5773983" "5784240" "5914467" "5931299" "5942901" "6172432" "6208130" "6218921" "6297640").PN. | USPAT | OR | OFF | 2004/08/20 15:56 |
| S47 | 113893 | interlock\$4 | USPAT | OR | OFF | 2004/08/20 15:59 |
| S48 | 68 | (200/11r-11tw,17r-18,564-572, 329-339.ccls. and ((shaft inner rotat\$4 knob flange) near5 (rib groov\$3 edge))) and interlock\$4 | USPAT | OR | OFF | 2004/08/20 17:51 |
| S49 | 3148 | (shaft knob) near5 compartment | USPAT | OR | ON | 2004/08/20 16:08 |
| S50 | 11 | 200/11r-11tw,17r-18,564-572, 329-339.ccls. and ((shaft knob) near5 compartment) | USPAT | OR | ON | 2004/08/20 16:14 |
| S51 | 667 | 324/415-424.ccls. | USPAT | OR | ON | 2004/08/20 16:14 |
| S52 | 4 | ((shaft inner rotat\$4 knob flange) near5 (rib groov\$3 edge)) and 324/415-424.ccls. | USPAT | OR | ON | 2004/08/20 16:14 |
| S53 | 691 | hex\$5 near8 housing | USPAT | OR | OFF | 2004/08/20 17:52 |
| S54 | 0 | 200/11r-11tw,17r-18,564-572, 329-339.ccls. and (hex\$5 near8 housing) | USPAT | OR | OFF | 2004/08/20 17:52 |
| S55 | 0 | 324/415-424.ccls. and (hex\$5 near8 housing) | USPAT | OR | OFF | 2004/08/20 17:52 |
| S56 | 1105 | hex\$5 with housing | USPAT | OR | OFF | 2004/08/20 18:02 |
| S57 | 0 | (hex\$5 with housing) and (200/11r-11tw,17r-18,564-572, 329-339.ccls. or 324/415-424.ccls.) | USPAT | OR | OFF | 2004/08/20 17:53 |
| S58 | 3402 | cantilever\$4 near spring | USPAT | OR | OFF | 2004/08/20 18:03 |
| S59 | 43 | (cantilever\$4 near spring) and (200/11r-11tw,17r-18,564-572, 329-339.ccls. or 324/415-424.ccls.) | USPAT | OR | OFF | 2004/08/20 18:04 |
| S60 | 1 | "5223813".pn. | USPAT | OR | OFF | 2004/08/20 18:04 |